

AMENDMENTS TO THE CLAIMS

Please amend the claims as indicated hereafter (where underlining “_” denotes additions and strikethrough “-” denotes deletions).

Claims:

1. (Currently Amended) An apparatus comprising:
a receiver for receiving a first message over a first shared-communications channel, wherein said first message comprises:
 - (i) a notification that said first shared-communications channel has been reserved, and
 - (ii) one or more values that define
 - (a) a first reservation offset time interval upon the conclusion of which a first signal is transmitted over a combination of the first shared communications channel and a second shared communication channel, and
 - (b) a second reservation duration time interval during which a first-shared communication channel and ~~[[a]]~~ the second-shared communication channel are reserved, and upon the conclusion of which the transmission of the first signal over the combination of said first shared-communications channel and said second shared-communications channel is ended, wherein said second time interval is after said first time interval; and~~a transmitter for transmitting, within said first time interval, a second signal over said first shared communications channel.~~

2. (Original) The apparatus of claim 1 wherein said first message is also received by a station that always transmits via one shared-communications channel at a time, and wherein said notification causes said station to refrain from transmitting until after said second time interval.

3. (Original) The apparatus of claim 1 wherein said transmitter is also for transmitting, after said second time interval, a third signal over the combination of a plurality of shared- communications channels.

4. (Original) The apparatus of claim 3 wherein said transmitter is also for, prior to transmitting said third signal, transmitting sequentially over each of said plurality of shared-communications channels a respective message for reserving that shared-communications channel.

5. (Original) The apparatus of claim 1 wherein said transmitter is also for, prior to receiving said first message:

transmitting over each of a plurality of shared-communications channels a respective message for reserving that shared-communications channel; and

transmitting a third signal over the combination of said plurality of shared-communications channels.

6. (Original) The apparatus of claim 1 wherein said receiver is also for receiving, during said first time interval, a second message over said second shared-communications channel associated with reserving said second shared-communications channel.

7. (Original) The apparatus of claim 1 further comprising a processor for:
sending signals to said transmitter, receiving signals from said receiver,
and
executing a contention-based protocol prior to said transmitter transmitting
said second signal over said first shared-communications channel.
8. (Original) The apparatus of claim 1 wherein said second signal comprises
a data message.
9. (Original) The apparatus of claim 1 wherein said second signal comprises
a reservation message for reserving said first shared-communications channel
during a third time interval; and wherein said third time interval is after said
second time interval; and wherein said transmitter is also for:
transmitting, within said first time interval, a third signal over said second
shared-communications channel for reserving said second shared-
communications channel during said third time interval, and
transmitting, within said third time interval, a fourth signal over the
combination of said first shared-communications channel and said
second shared-communications channel.
10. (Original) The apparatus of claim 9 wherein said reservation message is
also received by a station that always transmits via one shared-communications
channel at a time, and wherein said reservation message causes said station to
refrain from transmitting until after said third time interval.

11. (Previously Presented) The apparatus of claim 1 wherein said second signal comprises a reservation message comprising one or more values defining a third time interval; and wherein said third time interval is after said second time interval; and wherein said transmitter is also for:

transmitting, within said second time interval and after said first signal is transmitted, a third signal over said second shared-communications channel for reserving said second shared-communications channel during said third time interval, and

transmitting, within said third time interval, a fourth signal over the combination of said first shared-communications channel and said second shared-communications channel.

12. (Original) The apparatus of claim 11 wherein said reservation message is also received by a station that always transmits via one shared-communications channel at a time, and wherein said reservation message causes said station to refrain from transmitting until after said third time interval.

13. (Currently Amended) A method comprising:
- (a) receiving a first message over a first shared-communications channel, wherein said first message comprises:
 - (i) a notification that said first shared-communications channel has been reserved,
 - (ii) a first reservation offset time interval and a second reservation duration time interval, and
 - (b) reserving a first shared communications channel and a second shared communications channel defined in time by
 - ~~(i)~~ (i) [[a]] the first time interval, upon the conclusion of which a first signal is transmitted over a combination of the first shared communications channel and a second shared communication channel, and
 - ~~(ii)~~ (ii) [[a]] the second time interval upon the conclusion of which the transmission of the first signal over the combination of said first shared-communications channel and said second shared-communications channel is ended, wherein said second time interval is after said first time interval; and
 - ~~(b) transmitting, within said first time interval, a second signal over said first shared-communications channel.~~
14. (Original) The method of claim 13 wherein said first message is also received by a station that always transmits via one shared-communications channel at a time, and wherein said notification causes said station to refrain from transmitting until after said second time interval.

15. (Original) The method of claim 13 further comprising:
 - (c) transmitting, after said second time interval, sequentially over each of a plurality of shared-communications channels a respective message for reserving that shared- communications channel; and
 - (d) transmitting a third signal over the combination of said plurality of shared- communications channels.
16. (Original) The method of claim 13 further comprising:
transmitting, prior to receiving said first message, sequentially over each of a plurality of shared-communications channels a respective message for reserving that shared-communications channel; and
transmitting a third signal over the combination of said plurality of shared-communications channels.
17. (Original) The method of claim 13 further comprising:
 - (c) receiving, during said first time interval, a second message over said second shared-communications channel associated with reserving said second shared-communications channel.
18. (Original) The method of claim 13 further comprising:
 - (c) executing, after (a) and prior to (b), a contention-based protocol to gain access to said first shared-communications channel.

19. (Original) The method of claim 13 wherein said second signal comprises a reservation message for reserving said first shared-communications channel during a third time interval that is after said second time interval; said method further comprising:

- (c) transmitting, within said first time interval, a third signal over said second shared-communications channel for reserving said second shared-communications channel during said third time interval, and
- (d) transmitting, within said third time interval, a fourth signal over the combination of said first shared-communications channel and said second shared-communications channel.

20. (Original) The method of claim 13 wherein said second signal comprises a reservation message for reserving said first shared-communications channel during a third time interval that is after said second time interval; said method further comprising:

- (c) transmitting, within said second time interval and after said first signal is transmitted, a third signal over said second shared-communications channel for reserving said second shared-communications channel during said third time interval, and
- (d) transmitting, within said third time interval, a fourth signal over the combination of said first shared-communications channel and said second shared-communications channel.